



City of Annapolis
Signature Copy
O-51-22



..Title

Floodplain Management - Amending the Floodplain Management Code – For the purpose of improving compliance with the Federal Emergency Management Agency (FEMA) model floodplain management code; and generally related to floodplain management.

..Body

CITY COUNCIL OF THE
City of Annapolis

Ordinance 51-22

Introduced by: Mayor Buckley
Co-sponsored by: Ald. Tierney

Referred to
Economic Matters Committee

AN ORDINANCE concerning

Floodplain Management - Amending the Floodplain Management Code

FOR the purpose of improving compliance with the Federal Emergency Management Agency (FEMA) model floodplain management code; and generally related to floodplain management.

BY repealing and reenacting with amendments the following portions of the Code of the City of Annapolis, 2022 Edition
17.11.420

SECTION I: BE IT ESTABLISHED AND ORDAINED BY THE ANNAPOLIS CITY COUNCIL that the Code of the City of Annapolis shall be amended to read as follows:

Title 17 - BUILDINGS AND CONSTRUCTION
Chapter 17.11 - FLOODPLAIN MANAGEMENT
17.11.420 Buildings and structures.

New buildings and structures (including the placement and replacement of manufactured homes) and substantial improvement of existing structures (including manufactured homes) that are located, in whole or in part, in any special flood hazard area shall:

- (D) Have electrical systems, equipment and components, and mechanical, heating, ventilating, air conditioning, and plumbing appliances, plumbing fixtures, duct systems, and other service equipment located at or above the elevation of the lowest floor required in Section 17.11.530(A) or Section 17.11.540(A) (A Zones) or Section 17.11.620(B) (V Zones and Coastal A Zones). Electrical wiring systems are permitted to be located below elevation of the lowest floor provided they conform to the provisions of the electrical part of the Building Code for wet locations. If replaced as part of a substantial improvement, electrical systems, equipment and components, and heating, ventilation, air conditioning, and plumbing appliances, plumbing fixtures, duct systems, and other service equipment shall meet the requirements of this section.
- ~~(E) As an alternative to paragraph (D), electrical systems, equipment and components, and heating, ventilating, air conditioning, and plumbing appliances, plumbing fixtures, duct systems, and other service equipment are permitted to be located below the elevation of the lowest floor provided they are designed and installed to prevent water from entering or accumulating within the components and to resist hydrostatic and hydrodynamic loads and stresses, including the effects of buoyancy, during the occurrence of flooding to that elevation.~~

SECTION II: AND BE IT FURTHER ESTABLISHED AND ORDAINED BY THE ANNAPOLIS CITY COUNCIL that this ordinance shall take effect from the date of its passage.

Explanation:


UPPERCASE indicates matter added to existing law.

~~Strikethrough~~ indicates matter stricken from existing law.

Underlining indicates amendments.

ADOPTED this 13th day of February 2023.

Aye: 9 Mayor Buckley, Alderwoman Tierney, Alderwoman O'Neill,
Alderwoman Pindell Charles, Alderwoman Finlayson, Alderman
Schandelmeier, Alderman Gay, Alderman Savidge and Alderman Arnett




THE ANNAPOLIS CITY
COUNCIL


Gavin Buckley, Mayor

Date: 2-23-23

ATTEST


Regina Watkins-Eldridge, MMC,
City Clerk

Date: 2/23/23

