



City of Annapolis

160 Duke Of Gloucester
Street
Annapolis, MD 21401

Standing Committee Agenda - Final Public Safety Committee

Monday, September 14, 2020

4:00 PM

Mayor John T. Chambers, Jr.
City Council Chambers

1. Call To Order
2. Roll Call
3. Approval of Agenda (any changes to the agenda should be made here)
4. Business before Committee

a. Approval of Minutes

[PSC07.06.20](#) Approval of Minutes for the Regular Meeting

Attachments: [PSC07.06.20](#)

b. "Public Safety: Spotlight! Did You Know? Written Reports and Comments, Year to Date Overdose Summary."

5. Legislation before Committee

[O-39-19](#) **Accessory Dwelling Units** - For the purpose of allowing accessory dwelling units in all zoning districts that allow single-family detached dwellings; establishing use requirements for accessory dwelling units; adding certain definitions; making stylistic changes; and generally related to accessory dwelling units.

Attachments: [O-39-19 Accessory Dwelling Units First Reader.pdf](#)
[O-39-19 Staff Report.pdf](#)
[O-39-19 Fiscal Impact Note.pdf](#)
[O-39-19 PZ Staff Report to PC.pdf](#)
[O-39-19 PC Findings and Recommendations.pdf](#)
[O-39-19 Amendments 1-5 Rodriguez, Savidge, Gay Rules Recommended 7-14-20.pdf](#)
[O-39-19 Amendments 6-8 Arnett Rules Recommended 7-22-20.pdf](#)
[O-39-19 Amendment 9 Tierney, Pindell Charles, Arnett 7-24-20.pdf](#)
[O-39-19 Amendment 10 Pindell Charles, Tierney, Paone, Arnett 7-24-20.pdf](#)
[O-39-19 Amendment 11 Arnett, Pindell Charles 7-24-20.pdf](#)

Legislative History

12/9/19 City Council adopt on first reader

| | | |
|---------|--------------------------------------|---|
| 12/9/19 | City Council | presented |
| 12/9/19 | City Council | refer to the Planning Commission |
| 12/9/19 | City Council | refer to the Rules & City Government Committee |
| 12/9/19 | City Council | forwarded to next agenda due date to the City Council |
| 1/13/20 | City Council | declare the public hearing left open |
| 1/27/20 | City Council | postpone |
| 4/13/20 | City Council | declare the public hearing left open |
| 4/13/20 | City Council | presented |
| 4/27/20 | City Council | declare the public hearing closed |
| 4/27/20 | City Council | declare the public hearing left open |
| 5/12/20 | Rules & City Government Committee | recommend with amendments |
| 5/12/20 | Rules & City Government Committee | Recommend Favorably-Amendment |
| 5/26/20 | City Council | postpone |
| 7/13/20 | City Council | postpone |
| 7/14/20 | Rules & City Government Committee | postpone |
| 7/14/20 | Rules & City Government Committee | Recommend Favorably-Amendment |
| 7/22/20 | Rules & City Government Committee | recommend with amendments |
| 7/27/20 | City Council | postpone |
| 7/27/20 | City Council | refer to the Public Safety Committee |

O-28-20

Parking Permit Display - For the purpose of requiring that a residential parking permit must be visibly displayed on the vehicle to which it was issued.

Attachments:

[O-28-20 Parking Permit Display First Reader.pdf](#)

[O-28-20 Staff Report.pdf](#)

[O-28-20 Fiscal Impact Note.pdf](#)

Legislative History

| | | |
|---------|--------------|---------------------------------------|
| 7/13/20 | City Council | adopt on first reader |
| 7/13/20 | City Council | refer to the Public Safety Committee |
| 7/13/20 | City Council | refer to the Transportation Committee |
| 7/27/20 | City Council | declare the public hearing closed |

6. Adjournment

Anyone needing reasonable accommodation to be able to participate in a public meeting held by the City of Annapolis should contact Teekia Green at 410.263.7942, by MD Relay (711), or by email at tlgreen@annapolis.gov at least five days prior to the meeting date to request assistance.

We encourage citizens to attend and participate in City Council Meetings. If you are unable to attend, the meetings can be viewed live on Channel 99/100 for all Comcast subscribers and on Channel 34 for Verizon customers. The meeting can also be viewed on computer and mobile devices by going to <http://bit.ly/1gCd4pL> during the meetings.