

City of Annapolis

160 Duke Of Gloucester Street Annapolis, MD 21401

Legislation Details

File #: O-9-23 Version: 1 Name:

Type:OrdinanceStatus:AdoptedFile created:2/21/2023In control:City CouncilOn agenda:3/13/2023Final action:4/24/2023

Title: Adequate Public Facilities - Mitigation of Police Protection Level Certification Requirements - For the

purpose of adding a mitigation section for the Adequate Police Protection criteria and certification criteria set in Chapter § 22.14; and generally related to Review Criteria and Certification for Adequate

Police Protection under Adequate Public Facilities in Title 22.

Sponsors: Rob Savidge, Dajuan K. Gay, Rhonda Pindell Charles

Indexes: Public Safety Committee, Rules and City Government Committee

Code sections:

Attachments: 1. O-9-23 First Reader, 2. O-9-23 Fiscal Impact Note, 3. O-9-23 Signed

Date	Ver.	Action By	Action	Result
4/24/2023	1	City Council	adopt on second reader	Pass
4/24/2023	1	City Council	adopt on third reader	Pass
4/24/2023	1	City Council	rules suspended	Pass
3/31/2023	1	Rules & City Government Committee	recommend favorably	Pass
3/20/2023	1	Public Safety Committee	recommend favorably	Pass
3/13/2023	1	City Council	declare the public hearing closed	
2/27/2023	1	City Council	adopt on first reader	Pass
2/27/2023	1	City Council	Cosponsor added	
2/27/2023	1	City Council	refer	
2/27/2023	1	City Council	refer	