



Legislation Details (With Text)

File #:	O-7-23	Version:	1	Name:	
Type:	Ordinance	Status:		Withdrawn	
File created:	2/17/2023	In control:		City Council	
On agenda:	2/27/2023	Final action:		1/1/2024	
Title:	Adequate Public Facilities - Adequate Police Protection - For the purpose of defining "Police Officer" to include Annapolis Fire Department personnel who have gone through state police training and are certified by the Maryland Police and Training Standards Commission; authorizing the Police Department to certify alternative security measures to meet or exceed the required officer ratio; and generally related to Police Protection and Mitigation sections of Title 22.				
Sponsors:	Gavin Buckley, Elly Tierney				
Indexes:	Public Safety Committee, Rules and City Government Committee				
Code sections:					
Attachments:	1. O-7-23 First Reader, 2. O-7-23 Fiscal Impact Note				

Date	Ver.	Action By	Action	Result
------	------	-----------	--------	--------

s..Title

Adequate Public Facilities - Adequate Police Protection - For the purpose of defining "Police Officer" to include Annapolis Fire Department personnel who have gone through state police training and are certified by the Maryland Police and Training Standards Commission; authorizing the Police Department to certify alternative security measures to meet or exceed the required officer ratio; and generally related to Police Protection and Mitigation sections of Title 22.

CITY COUNCIL OF THE City of Annapolis

Ordinance 7-23

Introduced by: Mayor Buckley
Co-sponsored by: Alds. Tierney, Schandelmeier

Referred to

Rules and City Government Committee
Public Safety Committee

AN ORDINANCE concerning

Adequate Public Facilities - Adequate Police Protection

FOR the purpose of defining "Police Officer" to include Annapolis Fire Department personnel who have gone through state police training and are certified by the Maryland Police and Training Standards Commission; authorizing the Police Department to certify alternative security measures to meet or

exceed the required officer ratio; and generally related to Police Protection and Mitigation sections of Title 22.

BY repealing and reenacting with amendments the following portions of the Code of the City of Annapolis, 2022 Edition

22.14

22.28

Preamble

WHEREAS, there are police officers in the Annapolis Fire Department and these police officers perform some police functions; and

WHEREAS, the inclusion of the police officers in the Annapolis Fire Department serves to increase public safety in the City; and

WHEREAS, the ordinance relating to the adequacy of public facilities was adopted almost 20 years ago; and

WHEREAS, the Code provision establishing that adequate public facilities for police services at a ratio of not less than 3.2 officers for every 1,000 City residents has been determined to lack a sufficient basis relating to real property development projects; and

WHEREAS, the City Council intends to introduce a more comprehensive ordinance based on updated information.

SECTION I: BE IT ESTABLISHED AND ORDAINED BY THE ANNAPOLIS CITY COUNCIL that the Code of the City of Annapolis shall be amended to read as follows:

Title 22 - ADEQUATE PUBLIC FACILITIES

Chapter 22.14 - Review criteria and certification for adequate police protection

Section 22.14.010 - Responsibility.

The Police Chief shall be responsible for review and assessment of a proposed project's with regard to the adequacy of police protection.

22.14.020 Goal.

The goal of adequate police facilities is to ensure that law and order is maintained, the laws of the City of Annapolis are enforced, and to create and sustain an environment of personal safety and security of property among citizens, businesspersons, and visitors.

~~22.14.030 Exemptions.~~

~~There are no exemptions allowed for any projects.~~

22.14.040 Standards.

A. For purposes of Chapter 22.14 only, "Police Officer" means an individual who is: (1) certified by the Maryland Police and Training Standards Commission; and (2) employed by the Annapolis Police

Department or the Annapolis Fire Department.

B. The standards ~~required to be promulgated pursuant to Section 22.08.010, shall include but not be limited to~~ for the adequacy of police protection are:

1. **Officer Ratio**. The ratio of police officers authorized in the current City budget to City residents shall not be less than 3.2 officers per every one thousand City residents, except that if the ratio is less, the Police Department may certify this standard as having been met if a planned development adopts security measures required by the Police Department, including but not limited to security cameras, the hiring of off-duty police officers, or the hiring of private security, that, in the sole opinion of the Police Department, will enable the proposed development project to meet or exceed the required officer ratio.
2. **Average Response Time**. The average response time within the City shall not be greater than two minutes and thirty seconds for a priority one emergency response and for the initial annual period. Any subsequent average response time shall not increase more than ten percent from the annual period immediately prior.

SECTION II: AND BE IT FURTHER ESTABLISHED AND ORDAINED BY THE ANNAPOLIS CITY COUNCIL that this ordinance shall take effect from the date of its passage.

Explanation:

~~Strikethrough~~ indicates matter stricken from existing law.

Underlining indicates copyediting or reformatting of existing law

Underlining & red indicate new matter added to code.