

Calvert Entry Lane Camera Placement

Annotations

Focal type (sf vs. lf):

Short Focal

Long Focal

Mount type

Swivel mount direct to ceiling

Arm mount direct to structure

Drop pole mount direct to ceiling

Surface pole (island or pad)

Gate Operation Method

Gateless

Gate on Inductive Loop

Metro-Gate Kit Controlled

3rd Party Controlled / Other

Installation / Dimension instructions

Camera mounted to ceiling, approx. 15ft from gate arm, center of lane.

Final location of camera mount must be verified by Metropolis PM



Northwest Entry Lane Camera Placement

Annotations

Focal type (sf vs. lf):

- Short Focal
- Long Focal

Mount type

- Swivel mount direct to ceiling
- Arm mount direct to structure
- Drop pole mount direct to ceiling
- Surface pole (island or pad)


Gate Operation Method

- Gateless
- Gate on Inductive Loop
- Metro-Gate Kit Controlled
- 3rd Party Controlled / Other

Installation / Dimension instructions

Camera placement to be reviewed at time of install.
Place at entry of garage.

*Final location of camera mount must be verified
by Metropolis PM*



Calvert Exit Lane Camera Placement

Annotations

Focal type (sf vs. lf):

Short Focal

Long Focal

Mount type

Swivel mount direct to ceiling

Arm mount direct to structure

Drop pole mount direct to ceiling

Surface pole (island or pad)

Gate Operation Method

Gateless

Gate on Inductive Loop

Metro-Gate Kit Controlled

3rd Party Controlled / Other

Installation / Dimension instructions

Mount camera to beam (facing gate) center of lane.

Final location of camera mount must be verified by Metropolis PM



Entry Lane Camera Placement

Annotations

Focal type (sf vs. lf):

- Short Focal
- Long Focal

Mount type

- Swivel mount direct to ceiling
- Arm mount direct to structure
- Drop pole mount direct to ceiling
- Surface pole (island or pad)

Gate Operation Method

- Gateless
- Gate on Inductive Loop
- Metro-Gate Kit Controlled
- 3rd Party Controlled / Other

Installation / Dimension instructions

Mount camera to beam, center of lane

Final location of camera mount must be verified by Metropolis PM



Exit Lane

Camera Placement

Annotations

Focal type (sf vs. lf):

Short Focal

Long Focal

Mount type

Swivel mount direct to ceiling

Arm mount direct to structure

Drop pole mount direct to ceiling

Surface pole (island or pad)

Gate Operation Method

Gateless

Gate on Inductive Loop

Metro-Gate Kit Controlled

3rd Party Controlled / Other

Installation / Dimension instructions

Cameras mounted to ceiling, center of lane.

Final location of camera mount must be verified by Metropolis PM

